



RayBiotech, Inc.

3607 Parkway Lane suite 200
Norcross, GA 30092
Tel: 770-729-2992, 1-888-494-8555
Fax: 770-206-2393
Website: www.raybiotech.com
Email: info@raybiotech.com

Certificate of Analysis and Data Sheet

Mouse Anti Human Cytokeratin

With HRP-conjugated Secondary Antibody

Catalog No.
DS-MB-01087

Target Species
Human

Isotype
IgG1

Description

Description: Mouse Anti Human Cytokeratin (PAN)

Immunogen: Human epidermal keratins

Specificity: DS-MB-01087 is a pan-cytokeratin reagent, being a cocktail of clones which provides the broadest spectrum of reactivity to the 19 known human epidermal keratins. It produces positive staining in virtually all epithelia.

Species Cross Reactivity: Reacts with: Shrew, Macaque monkey, Pig, Mouse. Antibody reactivity and working conditions may vary between species.

Immunohistology: *This product requires antigen retrieval using heat treatment prior to staining of paraffin sections.

Histology Positive Control Tissue: Human skin

Formulation

Product Type: Monoclonal Antibody

Product Form: Purified IgG – liquid

Format: Concentrate

Buffer Solution: Phosphate buffered saline

Preservative & Stabilizers: 0.09% Sodium Azide, 1% Bovine Serum Albumin

Fusion Partners: Spleen cells from immunized BALB/c mice were fused with cells of the NS1/Ag4.1 myeloma cell line.

**The products are furnished for LABORATORY RESEARCH USE ONLY.
Not for diagnostic or therapeutic use.**



RayBiotech, Inc.

3607 Parkway Lane suite 200
Norcross, GA 30092
Tel: 770-729-2992, 1-888-494-8555
Fax: 770-206-2393
Website: www.raybiotech.com
Email: info@raybiotech.com

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life: 18 months from date of dispatch.

Applications

Table Summary of antibody applications and working conditions

Options / Functions	YES	NO	Not determined	Recommended Work dilution or concentration
ELISA			•	
Western Blotting			•	
Immunohistology - frozen	•			1/10 - 1/40
Immunohistology - paraffin	•			1/10 - 1/40
Immunohistology - resin			•	
Immunoprecipitation			•	
Immunofluorescence staining			•	
Flow Cytometry(*)			•	

Note: Other applications are not tested yet. Optimal dilutions should be determined by each laboratory for each application. Special conditions apply. - See [*]

Secondary Antibody Applications

Options / Functions	YES	NO	Not determined	Recommended Work dilution or concentration
Immunoassay (ELISA, Western blot)	•			1:5000-1:10000

**The products are furnished for LABORATORY RESEARCH USE ONLY.
Not for diagnostic or therapeutic use.**



RayBiotech, Inc.

3607 Parkway Lane suite 200
Norcross, GA 30092
Tel: 770-729-2992, 1-888-494-8555
Fax: 770-206-2393
Website: www.raybiotech.com
Email: info@raybiotech.com

References

1. Smith, K. J. *et al.* (1998) Sensitivity of cross-reacting anti-human antibodies in formalin-fixed porcine skin: including antibodies to proliferation antigens and cytokeratins with specificity in the skin. *J. Dermatol. Sci.* 18: 19-29.
2. Tsubura, A. *et al.* (1991) Immunophenotypic difference of Keratin expression in normal mammary glandular cells from five different species. *Acta. Anat.* 140: 287 - 293.

**The products are furnished for LABORATORY RESEARCH USE ONLY.
Not for diagnostic or therapeutic use.**