

bs-0332R-Cy3

• Rabbit Anti-factor VIII(FVIII) human Polyclonal Antibody, Cy3 conjugated

Conjugated Primary Antibodies

Background:

Factor VIII, along with calcium and phospholipid, acts as a cofactor for factor IXa when it converts factor X to the activated form, factor Xa. Interacts with VWF. VWF binding is essential for the stabilization of F8 in circulation. Secreted protein; extracellular space. Domain F5/8 type C 2 is responsible for phospholipid-binding and essential for factor VIII activity. Defects in F8 are the cause of hemophilia A (HEMA). Belongs to the multicopper oxidase family.

Purification: Was purified by Protein A and peptide affinity chromatography.


Storage:

Prepared as lyophilized powder or liquid and shipped on ice. Store at -20°C for one year. Protect from light.

Reconstitution:

If the antibody is in liquid form, no reconstitution needed.

Reconstitution is only required for the lyophilized antibody. Please refer to the reconstitution instruction card in the package.



For full size images and description please click [HERE](#).

Size: 100ul or 100ug lyophilized

Concentration: 1ug/uL

Host: Rabbit

Reactivities: Human,

Application:

- IF(1:100-500)
- Not yet tested in other applications. Optimal working dilutions must be determined by the end user.

Antibody Type: Polyclonal

Isotype: IgG

Molecular Weight: 230kDa

Preservatives:

10ug/uL BSA and 0.1% NaN₃.

For research use only. CAUTION: Not for human or animal therapeutic or diagnostic use.